



# Shenzhen Toumei Technology Co., Ltd



## product introduction

Truthfulness and practicality | High quality and efficiency | Based on products |  
Creating high-quality products

# CONTENTS

- 01 **Company Profile**
- 02 **Company culture**
- 03 **Factory overview**
- 04 **Product description**

# 01 Company Profile

Source factory



**Shenzhen Toumei  
Technology Co., Ltd**

## Company background

Shenzhen Toumei Technology Co., Ltd. was established in 2013 and is headquartered in Shenzhen, China. It is one of the first high-tech enterprises in China to enter the field of DLP smart projectors. The company integrates production, sales and research, focusing on providing users with DLP intelligent projection, 3D imaging and other products and solutions, and is committed to applying cutting-edge electronic science and technology to people's daily lives through creativity.

## Company strength

Shenzhen Toumei Technology is a projector manufacturer specializing in U.S. Ti DLP digital micro-mirror technology. The company has obtained national high-tech certification and has more than 50 patented technologies. The company mainly provides OEM/ODM complete machine solutions to global customers. The company has a production system that integrates professional optical design, software development, motherboard hardware design, structural design, mold development, production assembly, and aging testing. According to ISO9001/14000 international standards Establish an operational quality/environmental management system to ensure continuous improvement in product quality, and establish the quality goal of "customer satisfaction first, continuous innovation and improvement", so that all employees will be user-centered, sincerely united, precision manufacturing, and continuous improvement working methods to jointly improve the quality of products and services.



**Quick Customization / 24-hour Service**





# 01 Company Profile

Source factory

## Top-notch R&D capabilities in the industry and obtained China national high-tech certification

Since 2013, Toumei Technology has invested tens of millions in R&D. Currently, it has applied for more than 30 intellectual property certifications and registered a number of patented technologies and inventions. In the future, our company will continue to increase investment in research and development to ensure the advancement of the company's products. More patented technologies and inventions will continue in 2025.

Serial number	Case name	Applicant	Application number	Application day	Application type
1	projector	Shenzhen Toumei Technology Co., Ltd.	201630027712.2	2016/1/26	Appearance design
2	smart projector	Shenzhen Toumei Technology Co., Ltd.	201630285861.9	2016/6/28	Appearance design
3	Toumei Micro Projector UI Software	Shenzhen Toumei Technology Co., Ltd.	2017SR527919	2017/9/19	software works
4	Video APP development software based on Android system	Shenzhen Toumei Technology Co., Ltd.	2018SR517813	2018/7/4	software works
5	Projector (V7)	Shenzhen Toumei Technology Co., Ltd.	201930208123.8	2019/4/30	Appearance design
6	Projector (C900)	Shenzhen Toumei Technology Co., Ltd.	202030549080..2	2020/9/16	Appearance design
.....	.....	.....	.....	.....	.....
125	A portable vertical projector	Shenzhen Toumei Technology Co., Ltd.	2021213248123	2021.11.02	Utility model
126	A new smart projector with adjustable projection angle	Shenzhen Toumei Technology Co., Ltd.	202220278651.7	2022/2/11	Utility model



Quick Customization / 24-hour Service



# 02 Company Profile

Source factory

## ■ Dedication

Responsible and committed



Dedication

Integrity

Appreciate

## ■ Integrity

Sincere, trustworthy, and accountable



## ■ Appreciate

Discover the strengths of partners around you and help each other.



OEM

Quick Customization / 24-hour Service



# 03 Factory overview → Company Team

Source factory



R&D team

The TOUMEI R&D team is composed of high-level technical talents. It is mainly responsible for product research and development, software design, quality control and after-sales work, solving technical problems existing in customer use, and providing strong technical support for the company's products.



Sales team

As one of the first domestic teams engaged in DLP, the TOUMEI sales team has witnessed the rapid development of e-commerce, accumulated rich experience in consumer electronics e-commerce operations, and formed a scientific management system. The team members are young and energetic, innovative and brave enough to take on challenges.



Production team

TOUMEI has a mature production line. From production to assembly, everything is completed by the production team. The average age of employees is 30 years old. They undertake all the company's production tasks and have a monthly production capacity of 20,000+ units.



After-sales team

TOUMEI has a professional after-sales service team. It constantly sums up experience in after-sales service work, continuously improves service quality, continuously strengthens work efforts, and gradually forms a high-quality and complete after-sales service system, which solves users' worries and improves product quality. Trustworthiness of quality.



Quick Customization / 24-hour Service



## Own production line


TOUMEI has its own production lines and achieves advantages in resource control, cost control, quality control, competitive advantage, flexibility, independent innovation, rapid response and sustainable development. The company has significant advantages in comprehensive competitiveness and market position.

## Fine assembly

Standardized operations, standardized environmental control, and refined tool selection, Workers training is strict, record management is comprehensive, equipment maintenance is timely, and the products manufactured and assembled are all high-quality.

## Strict quality inspection

During the product production process, strict quality inspection and control is carried out in every link to ensure that the quality and performance of the final product meet the specified requirements.



Quick Customization / 24-hour Service



# 03 Factory overview → Corporate Advantages

Source factory



**OEM**

Quick Customization / 24-hour Service



# 03 Factory overview → Company Certification

Source factory

FCC/SDOC



PSE



CE/EMC



CB



UL



ROHS



GB/ISO




MIC



UKCA



BT



OEM

Quick Customization / 24-hour Service



# 03 Factory overview ➡ Corporate Honors

Source factory

The company has a strong R&D team in product design, with more than 100 invention patents and more than 30 software copyrights. In terms of product production, it adopts advanced management concepts, focuses on lean production, constantly improves the production process, and continuously optimizes and improves the process. , the production workshop is equipped with automated assembly line production, with a monthly production capacity of more than 2W+ units; our products are sold on domestic and foreign e-commerce platforms, and exported to more than 30 countries and areas, including South Korea, the United States, Germany, Spain, India, Japan, and the United Kingdom. It has been well received by our users.



OEM

Quick Customization / 24-hour Service



# 04 Product introduction

Source factory

C



M



S



V



X



Q



Laser



UST



OEM

Quick Customization / 24-hour Service



# TOUMEI Eye protection portable C series

American Ti DLP 0.23"DMD

Resolution: 960X540P

Light source brightness: 200ANSI

Source factory



C900



C1000

OEM

Quick Customization / 24-hour Service



# TOUMEI Eye protection portable C series

American Ti DLP 0.23"DMD

Resolution: 960X540P

Light source brightness: 200ANSI

Source factory



C2000(silver)



C2000(black)

OEM

Quick Customization / 24-hour Service




## TOUMEI C900 (Android AOSP system)

# Mini Outdoor Projector

DLP 0.23" DMD | Type-C Charging | 8000mAh | Support 3D

- One-hand grip, lightweight and portable, with gift-grade texture.
- Smooth unibody design, dust-sealed lens + vacuum-plated decorative finish, embodying minimalist aesthetics.
- Advanced thermal cycle cooling, forged integrated radiator, paired with ultra-quiet fan, noise as low as 29dB at 1 meter.
- Includes a storage bag + high-strength stand—a portable set with industry-leading design.
- Short-throw giant screen with 1.07:1 projection ratio, over 98% image uniformity, up to 90% color gamut, projects 42 inches at just 1 meter.
- Off-axis anti-blocking, high-precision optical engine, anti-thermal defocusing, unobstructed tabletop projection.
- 9-point touch control, remote-free operation—stylish and convenient.
- Built-in 8000mAh large-capacity battery, supports up to 190 minutes of use. Type-C port is compatible with all protocols of power banks for outdoor use.
- DLP-LINK 3D support, bringing cinematic 3D visuals to your home.



Quick Customization / 24-hour Service




## TOUMEI C1000 (Android AOSP system)

# Mini projector with stand

**DLP 0.23" DMD | Type-C Charging | 8000mAh | 200ANSI**

- Compact and lightweight, fits comfortably in one hand with premium gift-quality finish
- Smooth unibody design features sealed dust-proof lens and vacuum-plated decorative trim for minimalist aesthetics
- Advanced thermal cycle cooling, forged integrated radiator, paired with ultra-quiet fan, noise as low as 29dB at 1 meter.
- Includes storage bag and built-in retractable stand (industry-leading design) for ceiling projection capability
- Short-throw giant screen with 1.07:1 projection ratio, over 98% image uniformity, up to 90% color gamut, projects 42 inches at just 1 meter.
- Off-axis design prevents light blockage; high-precision optical engine resists thermal defocus for clear tabletop projection
- 9-point touch control enables remote-free operation for elegant convenience
- Built-in 8000mAh large-capacity battery, supports up to 190 minutes of use. Type-C port is compatible with all protocols of power banks for outdoor use.
- DLP-LINK 3D compatible for theater-quality stereoscopic viewing at home



**Quick Customization / 24-hour Service**




**TOUMEI C2000 (Android AOSP system)**

# Outdoor Portable Projector

**DLP 0.23" DMD | Smart Touch Panel | 8000mAh | 200ANSI**

- One handed grip, lightweight and portable, with a gift grade texture.
- Round integrated body, sealed lens dustproof+vacuum coating decoration, minimalist aesthetics.
- Advanced thermal cycle cooling, forged integrated radiator, paired with ultra-quiet fan, noise as low as 29dB at 1 meter.
- Storage bag+high-strength bracket, portable set, industry benchmark design.
- Short distance giant screen, 1.07:1 projection ratio, 42 inches per meter.
- Off axis anti blocking, high-precision optical machine, laser TOF 1-second autofocus, heat-resistant defocusing, unobstructed desktop projection.
- The top is equipped with a laptop sliding touchpad, making it convenient to operate the machine without a remote control.
- Built-in sliding touchpad on top for easy operation without a remote control.
- Built-in 8000mAh / 29.6Wh large battery, up to 190 minutes battery life. Type-C port supports all protocol power banks for outdoor power supply.
- Supports DLP-LINK 3D, providing cinema grade stereoscopic visual effects for home use.



**Quick Customization / 24-hour Service**



# TOUMEI Outdoor camping M series

American Ti DLP 0.23"DMD

Resolution: 1920X1080P

Light source brightness: 300ANSI

Source factory



M1



M2

OEM

Quick Customization / 24-hour Service




## TOUMEI M1 (Android AOSP system)

# Mini Outdoor Projector

**DLP 0.23" DMD | Type-C Charging | 15000mAh | 300ANSI | Support 3D**

- True 1080P high-definition, capable of direct projection during the day without fear of strong light, with low power consumption and long battery life.
- Professional optical system, 11 precision lenses+long-lasting light source, uniform and delicate image, true color.
- Off axis anti blocking design, sealed and dust-proof lens, stable image without losing focus.
- Super thermal cycle cooling, 8mm pure copper radiator + silent turbo fan, noise as low as 28dB at 1m.
- The body is the size of a water cup, with a hidden bracket and automatic calibration, and comes with a portable bag,
- Lidar with 1-second focusing, omnidirectional real-time trapezoidal correction, and intelligent second speed calibration.
- Equipped with a 15000mAh high-rate built-in battery for long-lasting HD and high-brightness playback. The Type-C port supports all-protocol external power banks, enabling worry-free outdoor use.
- Supports multi format DLP 3D film sources.



Quick Customization / 24-hour Service




## TOUMEI M2 (Android AOSP system)

# Mini Outdoor Projector

**DLP 0.23" DMD | Type-C Charging | 15000mAh | Support 3D | 300ANSI**

- True 1080P high-definition, capable of direct projection during the day without fear of strong light, with low power consumption and long battery life.
- Professional optical system, 11 precision lenses+long-lasting light source, uniform and delicate image, true color.
- Off axis anti blocking design, sealed and dust-proof lens, stable image without losing focus.
- Super thermal cycle cooling, 8mm pure copper radiator + silent turbo fan, noise as low as 28dB at 1m.
- Three-level visual design, built-in silicone handle, compact and portable. PC+ABS material for durability.
- Lidar with 1-second focusing, omnidirectional real-time trapezoidal correction, and intelligent second speed calibration.
- Equipped with 15000mAh high-rate built-in battery for long-lasting HD playback. Supports external outdoor power supply for worry-free use.
- Supports multi format DLP 3D film sources.



Quick Customization / 24-hour Service



# TOUMEI 1080P HD S Series

American Ti DLP 0.23"DMD

Resolution: 1920X1080P

Source factory

Light source brightness: 600ANSI

Light source brightness: 500ANSI



S7



S8

OEM

Quick Customization / 24-hour Service



**TOUMEI S7 (Android AOSP system)**

## **DLP Gimbal Projector**

**DLP 0.23" DMD | Type-C Charging | 20800mAh | 1080P | 600ANSI**

- True 1080P high-definition, capable of direct projection during the day without fear of strong light,.
- Professional optical system, 11 glass lenses+Osram RGB long-lasting light source.
- Off axis anti blocking design, sealed lens anti dust and anti defocusing, desktop projection without blind spots.
- Integrated projection bracket, free to rotate, can be projected onto the ceiling.
- Lidar 1-second focusing+omnidirectional trapezoidal correction, AI image quality automatic optimization, and intelligent second speed tuning.
- Built-in 20800mAh/78Wh large battery, supports external outdoor power supply, easily projects 100-inch screen for camping parties.
- Built-in Dual 10W speakers with Dolby HiFi bass and 360° surround sound, bringing immersive cinema experience at home.



**Quick Customization / 24-hour Service**



## TOUMEI S8 (Android AOSP system)

# With Battery Projector

**DLP 0.23" DMD | Metal Body with Touch Control | 20800mAh | 500ANSI**

- True 1080P high-definition, capable of direct projection during the day without fear of strong light.
- Professional optical system, 11 glass lenses+Osram RGB long-lasting light source.
- Off axis anti blocking design, sealed lens anti dust and anti defocusing, desktop projection without blind spots.
- Military grade metal body, durable, dustproof and corrosion-resistant.
- Lidar 1-second focusing+omnidirectional trapezoidal correction, AI image quality automatic optimization.
- Built-in 20800mAh/78Wh large-capacity battery, supports external outdoor power supply, easily projects 100-inch giant screen for camping and parties.
- Supports multi format DLP 3D source, 300CC sound chamber+subwoofer.



Quick Customization / 24-hour Service



# TOUMEI Light luxury popular V series

American Ti DLP 0.45"DMD

Resolution: 1280X800P

Light source brightness: 600ANSI

Source factory



V6



V7 (Pro)

OEM

Quick Customization / 24-hour Service



## TOUMEI V6 (Android AOSP system)

# Android Smart Projector

DLP 0.45" DMD | As Thin as a Book | DLP-LINK 3D | 600ANSI

- Texas Instruments' mature DMD technology ensures high-definition image quality that is not afraid of sunlight.
- Million level AI algorithm intelligent color matching, clear color hierarchy in the film, dynamic and smooth like being on site
- Turbosubwoofer+stereo sound field technology, small volume bursts of cinema grade bass
- Supports DLP 3D movies, paired with virtual surround sound effects to create an immersive viewing experience
- Sealed lens dustproof+vacuum coating decoration, minimalist aesthetics.
- Supports outdoor power supply, making camping parties easy and worry free.
- Second laser focusing+multi-point trapezoidal correction, casting a square giant screen in 3 seconds on any terrain.



Quick Customization / 24-hour Service



**TOUMEI V7 (Android AOSP system)**

## **HD 3D Projector**

**DLP 0.45" DMD | Mobile Office & Education | 15600mAh | 600ANSI**

- Texas Instruments' mature DMD technology ensures high-definition image quality that is not afraid of sunlight
- Million level AI algorithm intelligent color matching, clear color hierarchy in the film, dynamic and smooth like being on site
- Turbosubwoofer+stereo sound field technology, small volume bursts of cinema grade bass
- Supports DLP 3D movies, paired with virtual surround sound effects to create an immersive viewing experience
- Sealed lens dustproof+vacuum coating decoration, silicone handle portable, ultimate portable design
- Ultra long battery and portable design, ready to use for camping and outdoor activities
- Second laser focusing+multi-point trapezoidal correction, casting a square giant screen in 3 seconds on any terrain.



**Quick Customization / 24-hour Service**



# TOUMEI Light luxury popular V series

American Ti DLP 0.45"DMD

Resolution: 1280X800P

Light source brightness: 600ANSI

Source factory



V8 (Battery)



V8 with handle (Battery)

OEM

Quick Customization / 24-hour Service



**TOUMEI V8 (Battery+Android AOSP system)**

## Mobile Portable Projector

**DLP 0.45" DMD | DLP-LINK 3D | 15600mAh | 600ANSI**

- Texas Instruments' mature DMD technology ensures high-definition image quality that is not afraid of sunlight
- Million level AI algorithm intelligent color matching, clear color hierarchy in the film, dynamic and smooth like being on site
- Turbosubwoofer+stereo sound field technology, small volume bursts of cinema grade bass
- Supports DLP 3D movies, paired with virtual surround sound effects to create an immersive viewing experience
- Military grade metal body+dust-proof filtration system, stable operation in harsh environments
- Ultra long battery and portable design, ready to use for camping and outdoor activities
- Second laser focusing+multi-point trapezoidal correction, casting a square giant screen in 3 seconds on any terrain.



**Quick Customization / 24-hour Service**



# TOUMEI Flagship highlight X series

American Ti DLP 0.47"DMD

Resolution: 1920X1080P

Light source brightness: 1600ANSI

Source factory



X5



X6

OEM

Quick Customization / 24-hour Service



# TOUMEI X5 (Android AOSP system) Office & Meeting Projector

1600ANSI | DLP 0.45" DMD | DLP-LINK 3D | 1080P

- True 1080P ultra high brightness projection, fearless of strong light, clear direct projection during the day, low power consumption.
- Precision optical system, long-lasting light source maintenance free, cinema grade uniform image quality+wide color gamut.
- The fully enclosed lens is dust-proof, and there are no blind spots in desktop projection.
- Integrated metal body, corrosion-resistant+micro porous heat dissipation, durable and dustproof.
- Laser focusing at a fast speed, the image is instantly clear.
- Universal trapezoidal correction, flexible installation and adaptation, multiple bracket interfaces, and free switching of placement scenarios.
- HDR10+ ultra clear picture quality, supports direct connection of multiple devices, and AI algorithm optimizes the smoothness of viewing.



Quick Customization / 24-hour Service



## TOUMEI X6 (Android AOSP system)

# Home Theater Projector

**DLP 0.45" DMD | Dual 20W Speakers | DLP-LINK 3D | 1600ANSI**

- True 1080P ultra high brightness projection, fearless of strong light, clear direct projection during the day, low power consumption.
- Precision optical system, long-lasting light source maintenance free, cinema grade uniform image quality+wide color gamut.
- The fully enclosed lens is dust-proof, and there are no blind spots in desktop projection.
- Integrated metal body, corrosion-resistant+micro porous heat dissipation, durable and dustproof.
- Laser focusing at a fast speed, the image is instantly clear.
- Universal trapezoidal correction, flexible installation and adaptation, multiple bracket interfaces, and free switching of placement scenarios.
- HDR10+ultra clear picture quality, supports direct connection of multiple devices, and AI algorithm optimizes the smoothness of viewing.
- Stereo surround sound effect, professional team adjustment, dual stereo surround sound, palace-level sound quality.



**Quick Customization / 24-hour Service**



# TOUMEI High definition LCD Q series

Resolution: 1920X1080P Auto focu

Source factory

Light source brightness: 800ANSI



Q7

Light source brightness: 550ANSI



Q3

OEM

Quick Customization / 24-hour Service



**TOUMEI Q7 (Android AOSP system)**

# Home Theater Projector

**5-inch LCD Screen | 800ANSI | 1080P | Auto focu**

- Ultra clear lens technology, 18 layer coating+4 pieces of glass combination.
- High transparency 5-inch LCD panel, high temperature resistance, longer lifespan without black screen.
- Short distance large screen experience, 1.18:1 projection ratio, 2.56 meters to 100 inches.
- Efficient sealed optical machine, dual copper tube heat dissipation+silent internal circulation, temperature control and dust prevention, long-lasting non defocusing.
- Intelligent image correction, 4-second autofocus/keystone/obstacle avoidance/screen entry.
- Cinema grade sound effects, 330cc subwoofer chamber+virtual surround sound.
- Super strong cooling system, 3 heat pipes+dual fans, low temperature and low noise.



**Quick Customization / 24-hour Service**



TOUMEI Q3 (Android AOSP system)

# High-Definition Portable Projector

3.5-inch LCD Screen | 550ANSI | Type-C Charging | 1080P

- High-power LED light source + 4-piece all-glass coated lens, effectively reducing dispersion and glare, delivering sharp image, even colors, and stable performance over time.
- High-transparency 3.5" LCD, heat-resistant, long lifespan. 550 ANSI lumens, 1080P, 55% NTSC, 2000:1 contrast.
- 1.2:1 throw ratio, projects 30–150" in small spaces. Short distance, low light loss, real brightness.
- Efficient sealed optical engine, dual copper tube cooling + silent circulation, temperature & dust control, long lifespan, stable focus.
- Auto focus & auto keystone correction with CMOS real-time calibration. Quick correction for side projection, no manual adjustment, clear at startup.
- Built-in dual 10W speakers, cinema-level sound, 330cc bass cavity + virtual surround for immersive audio.
- Intelligent temperature control cooling, dual silent fans ( $\leq 32\text{dB}$ ), stable brightness without overheating during long-time use.
- Type-C PD power supply, compatible with 65W PD power banks. Supports outdoor cordless use for unrestricted mobile viewing.
- 360° rotating stand, portable and flexible, ideal for bedroom, living room, office and outdoor use.



Quick Customization / 24-hour Service



# TOUMEI Tri-Color Laser Ultra-short Throw S series

American Ti DLP 0.23"DMD Resolution: 1920X1080P

Source factory

Light source brightness: 600ANSI

Light source brightness: 1000ANSI



S1



S2

OEM

Quick Customization / 24-hour Service



**TOUMEI S1 (Android AOSP system)**

# UST High Brightness Projector

**DLP 0.23" DMD | 0.22:1 Throw Ratio | 600ANSI | DLP-LINK 3D | 1080P**

- Equipped with dazzling RGB ambient lighting, featuring 16 million colors for free switching.
- RGB light source, 600 ANSI high lumens, 1080P ultra-bright projection, no fear of ambient light, clear direct projection during the day, and low power consumption.
- Precision optical system, maintenance-free long-lasting light source, ultra-high contrast ratio, and an ultra-wide color gamut of up to 1000:1 with 85% NTSC coverage to reproduce true-to-life colors.
- Ultra-short distance large-screen experience, with a throw ratio of 0.22:1. It only needs to be 32CM away from the wall to project a 100-inch screen, and can project up to a maximum of 150 inches, allowing you to enjoy a giant screen in a small space.
- New high-efficiency sealed optical engine system, featuring dual copper tube heat dissipation and silent internal circulation, enabling temperature control and dust prevention for long-lasting sharp focus.
- Intelligent image calibration, laser autofocus in seconds, and instant sharpness for the image.
- Supports global MEMC motion compensation and HDR10+, featuring millisecond-level frame interpolation technology for smooth, stutter-free visuals.
- Supports multi-format DLP 3D content, with immersive virtual surround sound for a stunning on-site experience—enjoy immersive home viewing with theater-level enjoyment.

**Quick Customization / 24-hour Service**

## TOUMEI S2 (Android AOSP system)

# Triple laser (RGB) Ultra Short Throw projector

DLP 0.23" DMD | 0.18:1 Throw Ratio | 1000ANSI | DLP-LINK 3D | 1080P

- Equipped with dazzling RGB ambient lighting, featuring 16 million colors for free switching.
- Tri-color laser light source, 1000 ANSI high lumens, true 1080P ultra-bright projection, no fear of ambient light, clear direct projection during the day, and low power consumption.
- Precision optical system, maintenance-free long-lasting light source, ultra-high contrast ratio, and an ultra-wide color gamut of up to 1500:1 with 110% BT.2020 coverage to reproduce true-to-life colors.
- Ultra-short distance large-screen experience, with a throw ratio of 0.18:1. It only needs to be 23CM away from the wall to project a 100-inch screen, and can project up to a maximum of 150 inches, allowing you to enjoy a giant screen in a small space.
- New high-efficiency sealed optical engine system, featuring dual copper tube heat dissipation and silent internal circulation, enabling temperature control and dust prevention for long-lasting sharp focus.
- Intelligent image calibration, laser autofocus in seconds, and instant sharpness for the image.
- Supports global MEMC motion compensation and HDR10+, featuring millisecond-level frame interpolation technology for smooth, stutter-free visuals.
- Supports multi-format DLP 3D content, with immersive virtual surround sound for a stunning on-site experience—enjoy immersive home viewing with theater-level enjoyment.



Quick Customization / 24-hour Service



# TOUMEI Tri-Color Laser Long Throw S series

American Ti DLP 0.23"DMD    Resolution: 1920X1080P    Light source brightness: 1000ANSI

Source factory



S11



S13

OEM

Quick Customization / 24-hour Service



## TOUMEI S11 (Android AOSP system)

# Triple-Laser Gimbal Projector

**DLP 0.23" DMD | Type-C Charging | 20800mAh | 1080P | 1000ANSI**

- Tri-color laser, 1000 ANSI lumens, true 1080P.110% BT.2020,  $\Delta E < 1$ , 2000:1 contrast. Clear in daylight, rich details, low power & long life.
- Precision optical system, long-lasting maintenance-free light source. Screen uniformity up to 98%, true color reproduction. LSR dynamic speckle reduction, elimination rate over 96%.
- Offset-axis anti-blocking design, sealed lens for dust resistance and anti-defocus, and no blind spots for desktop projection.
- Integrated projector stand, free rotation, and ceiling projection capability
- New high-efficiency sealed optical engine system, featuring dual copper tube heat dissipation and silent internal circulation, enabling temperature control and dust prevention for long-lasting sharp focus.
- TOF laser auto-focus + 6-point keystone correction, real-time image alignment.
- Supports global MEMC motion compensation and HDR10+, featuring millisecond-level frame interpolation technology for smooth, stutter-free visuals.
- Built-in 20800mAh / 78Wh large battery, compatible with outdoor power supplies. Easily projects 100-inch screen for camping and parties.
- Built-in 2×10W dual speakers, Dolby HiFi bass, 360° surround sound. Immersive home theater experience.



Quick Customization / 24-hour Service



## TOUMEI S13 (Android AOSP system)

# Smart Education Projector

**DLP 0.23" DMD | Type-C Charging | 360° Rotatable Gimbal | 1000ANSI**

- Tri-color laser, 1000 ANSI lumens, true 1080P.110% BT.2020,  $\Delta E < 1$ , 2000:1 contrast. Clear in daylight, rich details, low power & long life.
- Precision optical system, long-lasting maintenance-free light source. Screen uniformity up to 98%, true color reproduction. LSR dynamic speckle reduction, elimination rate over 96%.
- Equipped with camera and infrared sensor, this portable projector is designed for education. Supports remote pointer control and writing, making teaching more vivid and engaging.
- 100% off-axis anti-blocking design, sealed lens for dustproof & stable focus, seamless desktop projection.
- Flexible gimbal design, 360° vertical adjustment, free rotation, projects directly to the ceiling.
- Type-C port, compatible with all mainstream power banks. External power supply for easy outdoor use.
- LiDAR 1-second focusing + omnidirectional keystone correction, AI automatic image optimization, and second-speed intelligent calibration.
- Supports global MEMC motion compensation and HDR10+, featuring millisecond-level frame interpolation technology for smooth, stutter-free visuals.
- Built-in 2×10W dual speakers, Dolby HiFi bass, 360° surround sound. Immersive home theater experience.



**Quick Customization / 24-hour Service**



# External mobile power supply

Source factory

- 40000mAh super large capacity, infinitely improves the projector's battery life.
- Compact size, can be carried anywhere, easy and portable for outdoor travel.
- It has ultra-high compatibility and can power all our projector products.
- Using advanced circuit design and materials to ensure your device is fully protected during charging.
- Comply with international safety standards and pass multiple rigorous tests to ensure a safe charging experience in various environments.



OEM

Quick Customization / 24-hour Service



Overseas genuine external Google TV Dongle (optional)  Google TV

Source factory

## Selectable Model:

M1,M2,S7,S8,V8,Q7,Q3,X5,X6,S1(UST),  
S2,S11,S13(Tri-Color Laser)

## Product selling points:

- Provide various streaming media platforms, such as Netflix, YouTube, HBO, Amazon Prime Video, etc.,
- It has a wireless screen transmission function, which can transmit the screens of mobile phones, laptops, desktop computers, tablets and other devices to the TV BOX large screen for simultaneous display.
- Intelligent assistant makes life more convenient, such as setting alarm clocks, checking the weather, etc. Make your life more convenient and efficient.



**OEM**

Quick Customization / 24-hour Service



**KTV mode available for selection (optional)**

## Selectable Model:

**M2, S7,S8,Q7,Q3,X5,X6,S1,(UST)**

**S2,S11,S13(Tri-Color Laser)**

## Product selling points:

- Optional dual Bluetooth microphones, all aluminum alloy appearance technology, easy pairing, can sing anytime,anywhere you want
- Equipped with professional KTV mode, with multiple sound effect modes to switch freely, creating an immersive home singing atmosphere.
- Adapt to home entertainment and party scenarios, meeting diverse karaoke needs.



**Quick Customization / 24-hour Service**



# Product parameter table

Source factory

	 C900	 C1000	 C2000
DMD	Ti 0.23"	Ti 0.23"	Ti 0.23"
Brightness	200ANSI	200ANSI	200ANSI
Resolution	960X540P	960X540P	960X540P
Optical principles	DLP+RGB	DLP+RGB	DLP+RGB
Contrast	1000:1	1000:1	1000:1
Throw ratio	1.07:1	1.07:1	1.07:1
Trumpet	5W X2	5W X2	5W X2
Longest battery life	190 minutes	190 minutes	190 minutes
Interface	USB, HDMI, Type-C charging	USB, HDMI, Type-C charging	USB, HDMI, Type-C charging
Focus	Manual focus	Manual focus	TOF Autofocus
Keystone correction	Up and down automatic keystone correction	Up and down automatic keystone correction	Up and down automatic keystone correction
Battery	8000mAh	8000mAh	8000mAh
Memory	2+32G	2+32G	2+32G
Operating system	AOSP Android 9.0	AOSP Android 9.0	AOSP Android 9.0
DLP-LINK Shutter 3D	Supported	Supported	Supported
Size	3.23x3.23x5.59inches	3.32x3.23x3.78inches	3.23x3.23x5.59inches
Weight	1.39lb	1.06lb	1.39lb
Sharing screen	Plug in the Sharing screen + wireless Sharing screen	Plug in the Sharing screen + wireless Sharing screen	Plug in the Sharing screen + wireless Sharing screen
WIFI+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	ABS+PC	Metal+ABS
Power Specifications	12V/2A	12V/2A	12V/2A
Touchpad	Nine-point touch pad	Nine-point touch pad	Laptop touchpad

OEM

Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 M1	 M1 + GoogleTV	 M2	 M2 + GoogleTV
DMD	Ti 0.23"	Ti 0.23"	Ti 0.23"	Ti 0.23"
Brightness	300ANSI	300ANSI	300ANSI	300ANSI
Resolution	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P
Optical principles	DLP+RGB	DLP+RGB	DLP+RGB	DLP+RGB
Contrast	1000:1	1000:1	1000:1	1000:1
Throw ratio	1.2:1	1.2:1	1.2:1	1.2:1
Trumpet	5W X2	5W X2	10W X2	10W X2
Longest battery life	190 minutes	190 minutes	190 minutes	190 minutes
Interface	USB, HDMI, Type-C charging	USB, HDMI, Type-C charging	USB, HDMI, Headphones, 5525DCIN	USB, HDMI, Headphones, 5525DCIN
Focus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus
Keystone correction	Real-time automatic keystone correction up, down, left, and right	Real-time automatic keystone correction up, down, left, and right	Real-time automatic keystone correction up, down, left, and right	Real-time automatic keystone correction up, down, left, and right
Battery	15000mAh	15000mAh	15000mAh	15000mAh
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 9.0	Google TV11.0	AOSP Android 9.0	Google TV11.0
DLP-LINK Shutter 3D	Supported	Supported	Supported	Supported
Size	3.74x3.74x6.30inches	3.74x3.74x6.30inches	5.87x5.87x5.00inches	5.87x5.87x5.00inches
Weight	1.94lb	1.94lb	2.69lb	2.45lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WIFI+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	ABS+PC	ABS+PC	ABS+PC
Power Specifications	12V/3A	12V/3A	19V/3.42A	19V/3.42A
Touchpad	Nine-point touch pad	Nine-point touch pad	Nine-point touch pad	Nine-point touch pad


OEM

Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 S7	 S7+ Google TV	 S8	 S8+ Google TV
DMD	Ti 0.23"	Ti 0.23"	Ti 0.23"	Ti 0.23"
Brightness	600ANSI	600ANSI	500ANSI	500ANSI
Resolution	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P
Optical principles	DLP+RGB	DLP+RGB	DLP+RGB	DLP+RGB
Contrast	1000:1	1000:1	1000:1	1000:1
Throw ratio	1.2:1	1.2:1	1.2:1	1.2:1
Trumpet	10W X2	10W X2	10W X2	10W X2
Longest battery life	200minutes	200minutes	170minutes	170minutes
Interface	USB, HDMI, Headphones, 5525DCIN Type-C IN	USB, HDMI, Headphones, 5525DCIN Type-C IN	USB, HDMI, Headphones, 5525DCIN	USB, HDMI, Headphones, 5525DCIN
Focus	Multi-point TOF autofocus	Multi-point TOF autofocus	TOF autofocus	TOF autofocus
Keystone correction	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right
Battery	20800mAh	20800mAh	20800mAh	20800mAh
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 11.0	Google TV11.0	AOSP Android 9.0	Google TV11.0
MEMC	1080P 60HZ	1080P 60HZ	1080P 60HZ	1080P 60HZ
HDR	Supported	Supported	Supported	Supported
DLP-LINK Shutter 3D	Not Supported	Not Supported	Supported	Supported
Size	7.52*6.02*7.2inches	7.52*6.02*7.2inches	5.04*5.79*5.12inches	5.04*5.79*5.12inches
Weight	4.28lb	4.28lb	3.06lb	3.06lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WiFi+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	ABS+PC	Metal+ABS+PC	Metal+ABS+PC
Power Specifications	DC:19V/3.42A Type-C:20V,3.25A	DC:19V/3.42A Type-C:20V,3.25A	19V/3.42A	19V/3.42A
Touchpad	Without	Without	Nine-point touch pad	Nine-point touch pad






OEM

Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 V6	 V7	 V8	 V8+  GoogleTV
DMD	Ti 0.45"	Ti 0.45"	Ti 0.45"	Ti 0.45"
Brightness	600ANSI	600ANSI	600ANSI	600ANSI
Resolution	1280X800P	1280X800P	1280X800P	1280X800P
Optical principles	DLP+RGB	DLP+RGB	DLP+RGB	DLP+RGB
Contrast	1000:1	1000:1	1000:1	1000:1
Throw ratio	1.2:1	1.2:1	1.2:1	1.2:1
Trumpet	5W X2	10W X2	10W X2	10W X2
Longest battery life	No built-in battery (optional external mobile power supply)	150 minutes	150 minutes	150 minutes
Interface	USB, HDMI, TF card headphone, AV, Ethernet, 5525DCIN	USB, HDMI, TF card headphone, AV, Ethernet, 5525DCIN	USB, HDMI, Headphones, Ethernet, 5525DCIN	USB, HDMI, Headphones, Ethernet, 5525DCIN
Focus	TOF autofocus	TOF autofocus	TOF autofocus	TOF autofocus
Keystone correction	Up and down automatic keystone correction	Up and down automatic keystone correction	Up and down automatic keystone correction	Up and down automatic keystone correction
Battery	No built-in battery	15600mAh(optional battery model)	15600mAh(optional battery model)	15600mAh(optional battery model)
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 9.0	AOSP Android 9.0	AOSP Android 9.0	Google TV11.0
DLP-LINK Shutter 3D	Supported	Supported	Supported	Supported
Size	8.66x5.0x1.81inches	7.60x4.84x3.94inches	7.09x5.51x5.04inches	7.09x5.51x5.04inches
Weight	1.74lb	2.49lb(3.06lb with battery)	2.71lb(3.175lb with battery)	2.76lb(3.22lb with battery)
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WIFI+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	Metal+ABS+PC	Metal+ABS+Fabric	Metal+ABS+Fabric
Power Specifications	19V/3.42A	19V/3.42A	19V/3.42A	19V/3.42A




Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 X5	 X5 + Google TV	 X6	 X6 + Google TV
DMD	Ti 0.47"	Ti 0.47"	Ti 0.47"	Ti 0.47"
Brightness	1600ANSI	1600ANSI	1600ANSI	1600ANSI
Resolution	1920X1080P	1920X1080P	1920X1080P	1920X1080P
Optical principles	DLP+RGB	DLP+RGB	DLP+RGB	DLP+RGB
Contrast	1000:1	1000:1	1000:1	1000:1
Throw ratio	1.2:1/0.8:1	1.2:1/0.8:1	1.2:1/0.8:1	1.2:1/0.8:1
Trumpet	20W X2	20W X2	20W X2	20W X2
Longest battery life	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)
Interface	HDMI, headphone, Ethernet, SPDIF.552SDC IN	HDMI, headphone, Ethernet, SPDIF.552SDC IN	HDMI, headphone, Ethernet, SPDIF.552SDC IN	HDMI, headphone, Ethernet, SPDIF.552SDC IN
Focus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus
Keystone correction	Automatic keystone correction up, down, left, and right	Automatic keystone correction up, down, left, and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right
Battery	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 13.0	Google TV11.0	AOSP Android 13.0	Google TV11.0
MEMC	1080P 60HZ	1080P 60HZ	1080P 60HZ	1080P 60HZ
HDR	Supported	Supported	Supported	Supported
DLP-LINK Shutter 3D	Supported	Supported	Supported	Supported
Size	7.80x7.36x6.18inches	7.80x7.36x6.18inches	8.30x7.60x6.34inches	8.30x7.60x6.34inches
Weight	5.20lb	5.22lb	5.25lb	5.25lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WIFI+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	Metal+ABS+PC	Metal+ABS+PC	Metal+ABS+PC	Metal+ABS+PC
Power Specifications	19V/6.32A	19V/6.32A	19V/6.32A	19V/6.32A



Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 Q7	 Q7+ Google TV	 Q3
Display technique	5-inch LCD	5-inch LCD	3.5-inch LCD
Brightness	800ANSI	800ANSI	550ANSI
Resolution	1920X1080P	1920X1080P	XPR 1920X1080P
Optical principles	5-inch LCD + white LED backlight	5-inch LCD + white LED backlight	3.5-inch LCD + white LED backlight
Luminance uniformity	> 70%	> 70%	> 70%
Throw ratio	1.18:1	1.18:1	1.2:1
Trumpet	10W X2	10W X2	10W X2
Interface	USB,HDMI,Audio output 3.5mm	USB,HDMI,Audio output 3.5mm	USB, HDMI, Headphones, 5525DCIN Type-C IN
Focus	Camera auto focus	Camera auto focus	TOF autofocus
Keystone correction	Automaticupanddowntheleftandrightladderpositive±30°, automaticobstacleavoidance,automaticentry	Automaticupanddowntheleftandrightladderpositive±30°, automaticobstacleavoidance,automaticentry	Automaticupanddowntheleftandrightladderpositive±30°, automaticobstacleavoidance,automaticentry
Memory	2+32G	2+32G	2+32G
Operating system	AOSP Android 9.0	Google TV11.0	AOSP Android 11.0
Size	11.22*11.65*4.65inches	11.22*11.65*4.65inches	8.46×8.46×3.78 inches
Weight	7.14lb	7.14lb	5.29lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WIFI+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	ABS+PC	ABS+PC
Power Specifications	100-240V	100-240V	Power Adapter 19V/3 .42A DC IN or TYPE-C 20V3.25A or TYPE-C20V5A

OEM

Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 S1(RGB)	 S1+ Google TV	 S2(Tri-color Laser)	 S2+ Google TV
DMD	Ti 0.23"	Ti 0.23"	Ti 0.23"	Ti 0.23"
Brightness	600ANSI	600ANSI	1000ANSI	1000ANSI
Resolution	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P
Optical principles	DLP+RGB Ultra short throw	DLP+RGB Ultra short throw	DLP+Tri-Color LaserUltra short throw	DLP+Tri-Color LaserUltra short throw
Contrast	1000:1	1000:1	1500:1	1500:1
Throw ratio	0.22:1	0.22:1	0.18:1	0.18:1
Trumpet	20W X2	20W X2	20W X2	20W X2
Interface	USB, HDMI, 5525DC IN, TYPE C IN	USB, HDMI, 5525DC IN, TYPE C IN	USB, HDMI, 5525DC IN, TYPE C IN	USB, HDMI, 5525DC IN, TYPE C IN
Focus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus
Keystone correction	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 13.0	Google TV11.0	AOSP Android 13.0	Google TV11.0
LP-LINK Shutter 3D	Supported	Supported	Supported	Supported
Size	11.81*8.66*4.13inches	11.81*8.66*4.13inches	11.81*8.66*4.13inches	11.81*8.66*4.13inches
Weight	Approximately 4.3lb	Approximately 4.3lb	Approximately 4.3lb	Approximately 4.3lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WiFi+Bluetooth	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0	2.4G+5G dual-band+BT5.0
Body material	ABS+PC	ABS+PC	ABS+PC	ABS+PC
Power Specifications	DC:19V/3.42A Type-C:20V, 3.25A Type-C:20V,5A	DC:19V/3.42A Type-C:20V, 3.25A Type-C:20V,5A	DC:19V/3.42A Type-C:20V, 3.25A Type-C:20V,5A	DC:19V/3.42A Type-C:20V, 3.25A Type-C:20V,5A





OEM

Quick Customization / 24-hour Service



# Product parameter table

Source factory

	 S11(Tri-color Laser)	 S11+ Google TV	 S13(Tri-color Laser)	 S13+ Google TV
DMD	Ti 0.23"	Ti 0.23"	Ti 0.23"	Ti 0.23"
Brightness	1000ANSI	1000ANSI	1000ANSI	1000ANSI
Resolution	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P	XPR 1920X1080P
Optical principles	DLP+Tri-Color Laser Light Source	DLP+Tri-Color Laser Light Source	DLP+Tri-Color Laser Light Source	DLP+Tri-Color Laser Light Source
Contrast	2000:1	2000:1	2000:1	2000:1
Throw ratio	1.2:1	1.2:1	1.2:1	1.2:1
Trumpet	10W X2	10W X2	10W X2	10W X2
Longest battery life	200minutes	200minutes	No built-in battery (optional external mobile power supply)	No built-in battery (optional external mobile power supply)
Interface	USB, HDMI, Headphones, 5525DCIN Type-C IN	USB, HDMI, Headphones, 5525DCIN Type-C IN	USB, HDMI, Headphones, 5525DCIN Type-C IN	USB, HDMI, Headphones, 5525DCIN Type-C IN
Focus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus	Multi-point TOF autofocus
Keystone correction	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right	Real-time automatic keystone correction up,down,left,and right
Battery	20800mAh	20800mAh	No built-in battery	No built-in battery
Memory	2+32G	2+32G	2+32G	2+32G
Operating system	AOSP Android 11.0	Google TV14.0	AOSP Android 11.0	Google TV14.0
MEMC	1080P 60HZ	1080P 60HZ	1080P 60HZ	1080P 60HZ
HDR	Supported	Supported	Supported	Supported
Size	7.52*6.02*7.2inches	7.52*6.02*7.2inches	7.05*7.38*5.71 inches	7.05*7.38*5.71 inches
Weight	4.28lb	4.28lb	2.98lb	2.98lb
Sharing screen	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.	Supports wired screen mirroring. Supports wireless screen mirroring.
WiFi+Bluetooth	2.4G+5G dual-band+BT5.	2.4G+5G dual-band+BT5.	2.4G+5G dual-band+BT5.1	2.4G+5G dual-band+BT5.1
Body material	ABS+PC	ABS+PC	ABS+PC	ABS+PC
Power Specifications	DC:19V/3.42A Type-C:20V,3.25A	DC:19V/3.42A Type-C:20V,3.25A	Power Adapter 19V/3.42A DC IN or TYPE-C 20V3.25A or TYPE-C20V5A	Power Adapter 19V/3.42A DC IN or TYPE-C 20V3.25A or TYPE-C20V5A



Quick Customization / 24-hour Service



# Looking forward to cooperation.

## THANKS

People-oriented | Management with integrity |  
Building harmony together | Achieving win-win results

**Company address:** 5th Floor, Block A, (East Building),  
Jinke Industrial Park, No. 310 Wuhe  
Avenue, Hu Community, Guanhu Street,  
Longhua District, Shenzhen City

**Official Website:**<https://www.toumeipro.com>

**Tel:** 0755-29305877



[//www.toumeipro.com](https://www.toumeipro.com)